

Ytelseserklæring

OLDROYD® Radontett RMA

Oktober 2020 - Utgave 7

Radonsperre

Identifikasjonskode 2126

1. Entydig identifikasjon for produktet:	OLDROYD® Radontett RMA xxxx xxxx= dimensjon på produktet
2. Type-, part- eller serienummer eller annen form for angivelse som muliggjør identifisering av byggevaren i samsvar med artikkel 11 nr. 4:	Se CE merking på produkt -
3. Produsentens tilsiktede bruksområde for byggevaren, i samsvar med den relevante harmoniserte tekniske spesifikasjonen:	OLDROYD® Radontett RMA er en fleksibel myk membran til bruk som tettesjikt mot vann og radon i bruksgruppene A mellom grunn og bygning.
4. Navn, registrert varemerke og kontaktadresse til produsenten i henhold til artikkel 11 nr. 5:	Oldroyd AS, Isdammen 25, N-3962 Stathelle
5. Navn og kontaktadresse til godkjent representant hvis mandat omfatter oppgavene angitt i artikkel 12 nr.2:	Ikke relevant
6. Det eller de systemer for vurdering og kontroll av byggevarens ytelse, som fastsatt i vedlegg V:	2+
7. Dersom ytelseserklæringen gjelder en byggevare som omfattes av en harmonisert standard:	SP Technical Research Institute of Sweden, 0402-CPR-45 59 01
8. Dersom ytelseserklæringen gjelder en byggevare som det er utstedt en europeisk teknisk vurdering for:	Ikke relevant

Ytelseserklæring

OLDROYD® Radontett RMA

Oktober 2020 - Utgave 7

Radonsperre

Identifikasjonskode 2126

9. Angitte ytelser		
Egenskaper	Ytelse	Harmonisert teknisk spesifikasjon
Brannegenskaper	Uklassifisert	EN 13967:2012 Type A, ZA.1 og ZA.2 klasse 2+
Vanntetthet	Bestått	
Rivestyrke MD/TD	≥ 145/165 N	
Skjøtestyrke	≥ 500 N/50 mm	
Slagstyrke	≥ 1250 mm	
Strekstyrke MD/TD	≥ 600/400 N/50 mm	
Motstand mot statisk last	≥ 200 N	
Farlige kjemikalier	Ingen (REACH, SVHC-listen)	
Holdbarhet:		
- Vanntetthet etter kunstig aldring	Bestått	
- Vanntetthet etter aldring med kjemikalier	Bestått	

10. Ytelsen for varen som angitt i nr 1 er i samsvar med ytelsen angitt i nr 9. Denne ytelseserklæringen er utstedt på eget ansvar av Oldroyd AS, som angitt i nr 4.

Undertegnet for og på vegne av Oldroyd AS:

Sted og dato	Navn og stilling	Underskrift
Stathelle 26.10.2020	Linda A. Celin / Daglig leder	

Declaration of Performance

OLDROYD® Radontett RMA

October 2020 - Issue 7
Radon Barrier
Identification Code 2126

1. Unique identification of the product:	OLDROYD® Radontett RMA xxxx xxxx = dimension of product
2. The type, part- or serial number or other form of specification that enables the identification of the construction product in accordance with Article 11.4:	See CE label on product.
3. Manufacturer's intended use for the construction product, in accordance with the relevant harmonized technical specification:	OLDROYD® Radontett RMA is a flexible soft membrane for barrier against water and radon in user group between ground and building.
4. Name, registered trademark and contact address of the manufacturer pursuant to Article 11.5:	Oldroyd AS, Isdammen 25, N-3962 Stathelle
5. Name and contact address of authorized representative whose mandate covers the tasks specified in Article 12 no 2:	N.A.
6. Systems for evaluation and control of building hardware performance, as defined in Annex V:	2+
7. If performance statement applies construction materials covered by a harmonized standard:	SP Technical Research Institute of Sweden, 0402-CPR-45 59 01
8. If performance statement applies to construction materials where a European technical assessment has been issued:	N.A.

Declaration of Performance

OLDROYD® Radontett RMA

October 2020 - Issue 7
Radon barrier
Identification Code 2126

9. Declared performance:		
Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Unclassified	EN 13967:2012 Type A, ZA.1 and ZA.2 class 2+
Water tightness	Pass	
Tear resistance MD/TD	≥ 145/165 N	
Joint strength	≥ 500 N/50 mm	
Impact resistance	≥ 300mm	
Tensile strength MD/TD	≥ 600/400 N/50mm	
Resistance to static load	≥ 200N	
Dangerous substances	None (REACH SVHC list)	
Durability		
- Water tightness after artificial aging	Pass	
- Water tightness after exposure against chemicals	Pass	

10. The performance of the product identified in sec 1 is in conformity with the declared performance in sec 9. This declaration of performance is issued under the sole responsibility of Oldroyd AS, as identified in sec 4.

Signed for and on behalf of Oldroyd AS:

Place and date	Managing Director	Signature
Stathelle 26.10.2020	Linda A. Celin	